

4 3 2 1

PART NO.	MD-6703195	REVISIONS		
LTR	DESCRIPTION	DATE	APPROVED	
A0	Initial Release for Manufacture	Jul.18.14	Tony	

D

PIN ASSIGNMENT

P1		P2
D9	-----	B9
D8	○-----	B8
D7	○-----	B7
D6	-----	B6
D5	○-----	B5
D4	○-----	B4
D3	-----	B3
D2	←-----	D1
D1	←-----	D2
C1	-----	C2
C2	←-----	C1
C3	-----	A3
C4	-----	A4
C5	○-----	A5
C6	-----	A6
C7	-----	A7
C8	○-----	A8
C9	-----	A9
B9	-----	D9
B8	←-----	D8
B7	←-----	D7
B6	-----	D6
B5	←-----	D5
B4	←-----	D4
B3	-----	D3
B2	←-----	B1
B1	←-----	B2
A1	←-----	A2
A2	←-----	A1
A3	-----	C3
A4	←-----	C4
A5	←-----	C5
A6	-----	C6
A7	←-----	C7
A8	←-----	C8
A9	-----	C9

ELECTRICAL TEST:
 1. OPEN & SHORT TEST
 2. CONNECTION RESISTANCE: 1 OHM (MAX.)
 3. INSULATION RESISTANCE: 10M OHM (MIN.)
 4. HI-POT TEST: 300V DC/10ms

Legend:
 ○-----○ :High-Speed Serial Differential Pairs
 - - - - - :Signal Return
 ←----- :Sideband Signal

C

B

NO.	PART NO.	DESCRIPTION	Q'TY	UNIT
11	4-15-0044-001001	NYLON BRAID W=10.0MM <BLACK> 1*72	770.0	mm
10	4-20-0062-002001	ACETATE TAPE BLACK W=20mm	50.0*2	mm
9	3-03-0004-005001	PBT BLACK NON-migration(UL94V-0)	8	g
8	2-70-0018-011501	HD MINI SAS 36P SHELL 180°	2	PCS
7	2-70-0019-011502	HD MINI SAS 36P PCB/CD	2	PCS
6	2-70-0016-011501	HD MINI SAS 36P PCB/AB	2	PCS
5	1-58-0022-200209	Non-UL FLAT CABLE:30#*4C*PH:0.8mm GRAY	783.0*2	mm
4	1-61-0052-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE04(Non UL)	780.0*2	mm
3	1-61-0051-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE03(Non UL)	780.0*2	mm
2	1-61-0050-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE02(Non UL)	780.0*2	mm
1	1-61-0049-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE01(Non UL)	780.0*2	mm

CineRAID	APPROVALS	DATE	MD MiraDeed Technology			
	DRAWN	Jul.18.14				
	CHECKED	Jul.18.14	HD MINI SAS 180° TO HD MINI SAS 180° CABLE 0.75MM			
APPROVAL:			SIZE	SCALE :	DRAWING NO.	REV.
Zeng.wei			C	XX : XX	6703195	A0
DO NOT SCALE DRAWING			ID NO.	SHEET 1 OF 1		

A

4 3 2 1